

AMX Parts Price List

| SIN # | Model | Product Description | GSA Price |
|--------------|-------------------------|--|-------------------|
| 58 1 | ABS | AxLink Bus Strip | \$86.15 |
| 58 1 | AC-RK | Accessory Rack Kit (3 unit capacity, single rack unit height) | \$45.94 |
| 58 1 | AC-SMB | Surface Mount Bracket Set for MAX Encoders and Decoders | \$14.36 |
| 58 1 | ANT-BDG | RFID Identification Badge - Worn by people to trigger events | \$43.07 |
| 58 1 | ANT-RDR | RFID Reader - Connects to Controller to initiate system events | \$344.58 |
| 58 1 | ANT-TAG | RFID Device/Asset Tag - Attaches to devices for tracking | \$43.07 |
| 58 1 | AVB-DAD-RGBHV-HD15-0104 | 1x4 RGBHV (HD-15) Distribution Amplifier Driver | \$304.38 |
| 58 1 | AVS-OP-1616-560SD | Fixed 16x16 Matrix Swicher, RGBHV with BNC, 500 MHz | \$6,937.06 |
| 58 1 | AVS-PL-0404-844 | Fixed 4x4 Matrix Switcher, RGBHV with HD-15, Stereo Audio with 3T Phoenix-style, 300 MHz | \$671.94 |
| 58 1 | AVS-PL-0808-115 | Fixed 8x8 Matrix Switcher, Composite Video with BNC, Stereo Audio with 5T Phoenix-style, 50 MHz | \$895.92 |
| 58 1 | AVS-PR-0804-560SD | Fixed 8x4 Matrix Swicher, RGBHV with BNC, 500 MHz | \$1,639.65 |
| 58 1 | AVS-PR-1208-560SD | Fixed 12x8 Matrix Swicher, RGBHV with BNC, 500 MHz | \$3,142.61 |
| 58 1 | AXB-232++ | While this controller can serve as a conventional RS-232/422 control port, it is also able to run its own Axxess application program – an exclusive AMX product feature. | \$402.02 |
| 58 1 | AXB-IRS4 | The AXB-IRS4 operates as an AxLink bus device or as an independent RS-232-to-IR interface. The four IR ports can be set up for IR or wired serial operation. Any two ports can send commands at the same time. | \$402.02 |
| 58 1 | AXB-REL8 | The AXB-REL8 controls closure-activated devices, acting as an eight-channel relay control port on the AxLink bus. | \$287.15 |
| 58 1 | AXB-VOL3 | The AXB-VOL3 controls three audio volume channels. Each line-level channel, opto-isolated from system ground, can be configured for balanced or unbalanced line operation. It is programmable for 128 steps of audio level, audio mute, and variable ramp speed. | \$402.02 |
| 58 1 | CB-TP5i | Trim Ring for NXD-500i | \$101.08 |
| 58 1 | CC-NIRC | The CC-NIRC is an IR emitter cable used with NetLinx controllers to control your equipment either from IR emitters or a hand-held remote control. Utilizes a 2-pin, 5 mm Phoenix connector on one end and a single LED emitter (flasher) on the other end. | \$28.72 |
| 58 1 | CP-1008-US-BA | Novara CP-1008-US ControlPads feature an 8-button layout and fit standard single-gang US back box sizes. Novara 1000 Series ControlPads offer simplified device control with just the right mix of ease of use, programming simplicity and cost effectiveness. | \$399.14 |
| 58 1 | CP-1008-US-BL | Novara CP-1008-US ControlPads feature an 8-button layout and fit standard single-gang US back box sizes. Novara 1000 Series ControlPads offer simplified device control with just the right mix of ease of use, programming simplicity and cost effectiveness. | \$399.14 |
| 58 1 | CP-1008-US-WH | Novara CP-1008-US ControlPads feature an 8-button layout and fit standard single-gang US back box sizes. Novara 1000 Series ControlPads offer simplified device control with just the right mix of ease of use, programming simplicity and cost effectiveness. | \$399.14 |

| | | | |
|------|------------------|--|-----------------|
| 58 1 | CP-1016-TR-US-BA | Novara CP-1016-TR-US ControlPads feature a 16-button layout with transport buttons for play, stop, pause, rewind and fast forward as well as DVD menu control. Novara ControlPads fit standard 3-gang US back box sizes. | \$430.73 |
| 58 1 | CP-1016-TR-US-BL | Novara CP-1016-TR-US ControlPads feature a 16-button layout with transport buttons for play, stop, pause, rewind and fast forward as well as DVD menu control. Novara ControlPads fit standard 3-gang US back box sizes. | \$430.73 |
| 58 1 | CP-1016-TR-US-WH | Novara CP-1016-TR-US ControlPads feature a 16-button layout with transport buttons for play, stop, pause, rewind and fast forward as well as DVD menu control. Novara ControlPads fit standard 3-gang US back box sizes. | \$430.73 |
| 58 1 | ENV-VST-C | The ENV-VST-C is a color communicating thermostat that includes a 3.5" color display and is fully programmable for automatic scheduling, automatic temperature and relative humidity adjustments, and power-outage protection. | \$344.58 |
| 58 1 | ENV-VST-TSF | The ENV-VST-TSF is a flush mount temperature sensor for indoor use only. The ENV-VST-TSF can be installed on any interior wall for remote temperature sensing that literally blends in with any decor. | \$86.15 |
| 58 1 | HPX-1600-BL | HydraPort is the first completely modular, retractable cable connection system built to accommodate the diverse connection needs of conference and meeting room visitors. | \$631.74 |
| 58 1 | HPX-1600-SL | HydraPort is the first completely modular, retractable cable connection system built to accommodate the diverse connection needs of conference and meeting room visitors. | \$631.74 |
| 58 1 | HPX-AV100-CS+A | The HPX-AV100-CS+A module provides Composite video plus stereo audio connectivity to the HydraPort chassis. | \$40.20 |
| 58 1 | HPX-AV100-RGB+A | The HPX-AV100-RGB+A module provides RGBHV video plus stereo audio connectivity to the HydraPort chassis. | \$45.94 |
| 58 1 | HPX-B050 | Hydraport 1/2 M Blank Panel | \$8.04 |
| 58 1 | HPX-B100 | Hydraport 1 M Blank Panel | \$9.19 |
| 58 1 | HPX-B200 | Hydraport 2 M Blank Panel | \$11.49 |
| 58 1 | HPX-N100-RJ45 | The HPX-N100-RJ45 module provides a single RJ-45 connection to the HydraPort chassis. | \$32.16 |
| 58 1 | HPX-N100-USB | The HPX-N100-USB module provides a single USB connection to the HydraPort chassis. | \$45.94 |
| 58 1 | HPX-N102-RJ45 | The HPX-N100-RJ45 module provides a dual RJ-45 connection to the HydraPort chassis. | \$44.80 |
| 58 1 | HPX-P200-US | The HPX-P200-US module provides power connectivity for US plug types to the HydraPort chassis. | \$80.40 |
| 58 1 | i!-Weather | i!-Weather NetLinX Application - Control events based on weather conditions (Includes Software and 3 year subscription to weather service) | \$473.80 |
| 58 1 | MIO CLASSIC-D-EN | Engraving for one set of Classic D Model Buttons (Any mix of single and double buttons) | \$114.86 |
| 58 1 | MIO-CLASSIC-D-BG | Mio Modero Keypad Classic Series D Model, supports up to 16 buttons, Beige | \$281.41 |
| 58 1 | MIO-CLASSIC-D-BL | Mio Modero Keypad Classic Series D Model, supports up to 16 buttons, Black | \$281.41 |
| 58 1 | MIO-CLASSIC-D-WH | Mio Modero Keypad Classic Series D Model, supports up to 16 buttons, White | \$281.41 |
| 58 1 | MIO-CLASSIC-S-BG | Mio Modero Keypad Classic Series S Model, supports up to 8 buttons, Beige | \$223.98 |

| | | | |
|------|------------------|---|-------------------|
| 58 1 | MIO-CLASSIC-S-BL | Mio Modero Keypad Classic Series S Model, supports up to 8 buttons, Black | \$223.98 |
| 58 1 | MIO-CLASSIC-S-EN | Engraving for one set of Classic S Model Buttons (Any mix of single and double buttons) | \$66.05 |
| 58 1 | MIO-CLASSIC-S-WH | Mio Modero Keypad Classic Series S Model, supports up to 8 buttons, White | \$223.98 |
| 58 1 | MVP-5100 | Modero ViewPoint IR 5.2" Active Matrix Display featuring IR communications, 256 MB Flash / 128MB Standard SDRAM Memory. Includes integrated battery & (1) PS3.0 Power Supply. Gloss Black. | \$1,378.34 |
| 58 1 | MVP-5150 | Modero ViewPoint Lite 5.2" Active Matrix Display featuring 802.11 b/g communications, 256 MB Flash / 128MB Standard SDRAM Memory. Includes integrated battery & (1) PS3.0 Power Supply. Gloss Black. | \$1,837.78 |
| 58 1 | MVP-5200i-GB | Modero ViewPoint Lite 5.2" Active Matrix Display featuring 802.11 b/g communications, 256 MB Flash / 128MB Standard SDRAM Memory. Includes integrated battery & (1) PS3.0 Power Supply. Gloss Black. | \$2,412.09 |
| 58 1 | MVP-5200i-GW | Modero ViewPoint Lite 5.2" Active Matrix Display featuring 802.11 b/g communications, 256 MB Flash / 128MB Standard SDRAM Memory. Includes integrated battery & (1) PS3.0 Power Supply. Gloss White. | \$2,412.09 |
| 58 1 | MVP-8400 | Modero ViewPoint 8.4" Active Matrix Display featuring VoIP Intercom, 128MB RAM / 128MB compact flash memory and enhanced touch sensitivity. Includes (2) MVP-BP Batteries & (1) PS4.4 Power Supply. | \$2,871.54 |
| 58 1 | MVP-BP | MVP-8400i/MVP-8400, MVP-7500 Battery Pack | \$201.01 |
| 58 1 | MVP-KS | MVP-8400i/MVP-8400, MVP-7500 Kick Stand, Silver | \$183.78 |
| 58 1 | MVP-STYLUS | MVP-8400i/MVP-8400, MVP 7500 Stylus (Pack of 3) | \$28.72 |
| 58 1 | MVP-TDS | MVP-8400i/MVP-8400, MVP-7500 Table Top Docking Station | \$1,102.67 |
| 58 1 | MVP-WDS | MVP-8400i/MVP-8400, MVP-7500 Wall/Flush Mount Docking Station Black | \$918.89 |
| 58 1 | NI-2100 | Integrated Master/NetLinx Controller with 404 MIPS Processor, 64MB RAM, 128 MB of FLASH. 4 IR Ports, 4 I/O Ports, 4 Relays, and 3 RS-232/422/485 Ports and optional ICSNet | \$1,005.04 |
| 58 1 | NI-3100 | Integrated Master/NetLinx Controller with 404 MIPS Processor, 64MB RAM, 128 MB of FLASH. 8 IR Ports, 8 I/O Ports, 8 Relays, and 7 RS-232/422/485 Ports and optional ICSNet | \$1,447.25 |
| 58 1 | NI-4100 | Integrated Master/NetLinx Controller with 404 MIPS Processor, 64MB RAM, 64 MB of FLASH with ICSNet installed, 8 IR Ports, 8 I/O Ports, 8 Relays, and 7 RS-232/422/485 Ports, with 4 NXC Card Slots | \$2,010.08 |
| 58 1 | NI-700 | Small Room Integrated Master/NetLinx Controller, 1 IR Port, 4 I/O Ports, 1 IR Input Port, and 2 RS-232/422/485 Ports with Ethernet and AxLink in a 1/3 Rack Width Form Factor | \$568.56 |
| 58 1 | NI-900 | Small Room Integrated Master/NetLinx controller, 3 IR Ports, 4 I/O Ports, 1 IR Input Port, and 1 RS-232/422/485 Port with Ethernet and AxLink in a 1/3 Rack Width Form Factor | \$568.56 |
| 58 1 | NSS-EXIP | RMS IP Link™ Interface Software Interfaces up to 12 Extron IP Link Devices to Any RMS Application | \$56.86 |
| 58 1 | NSS-PFRAME | Even in sleep mode, the award-winning Modero® Touch Panel is great to look at. That's because our PictureFrame PC-based software is designed to transform any of the Modero panels into dynamic digital photo albums. | \$229.15 |
| 58 1 | NSS-RMSACL | Asset Client License | \$244.08 |
| 58 1 | NSS-RMS-EMS | This new scheduling system interface module allow RMS to easily share information with EMS, highlighting our commitment to industry partnerships and open systems. | \$143.58 |

| | | | |
|------|----------------|---|-------------------|
| 58 1 | NSS-RMS-EXCH | This new scheduling system interface module allow RMS to easily share information with Exchange/Outlook, highlighting our commitment to industry partnerships and open systems. | \$143.58 |
| 58 1 | NSS-RMS-GW | This new scheduling system interface module allow RMS to easily share information with GroupWise, highlighting our commitment to industry partnerships and open systems. | \$143.58 |
| 58 1 | NSS-RMS-LN | This new scheduling system interface module allow RMS to easily share information with Lotus Domino, highlighting our commitment to industry partnerships and open systems. | \$143.58 |
| 58 1 | NSS-RMS-PLAN | This new scheduling system interface module allow RMS to easily share information with Integrated Workspace Management, highlighting our commitment to industry partnerships and open systems. | \$143.58 |
| 58 1 | NSS-RMS-PPC | This new scheduling system interface module allow RMS to easily share information with Resource Scheduler software, highlighting our commitment to industry partnerships and open systems. | \$143.58 |
| 58 1 | NSS-RMS-R25 | This new scheduling system interface module allow RMS to easily share information with R25, highlighting our commitment to industry partnerships and open systems. | \$143.58 |
| 58 1 | NSS-RMSSCL | Schedule Client License | \$80.40 |
| 58 1 | NSS-RMSSV | RMS Server Application | \$571.44 |
| 58 1 | NSS-VOTE | The Voting Software Solution supports multiple voting groups that use a common voting/meeting space. | \$6,891.69 |
| 58 1 | NXA-BASE/B KIT | Modero Battery Base Kit for 12", 15" and 17" NXT Touch Panels (Includes NXA-BASE/B Modero Battery Base and two (2) NXT-BP Modero Power Pack Batteries) | \$936.12 |
| 58 1 | NXA-PC180211G | Modero 802.11g Wireless Card For Optional Upgrade Of All V/VG Series Touch Panels | \$160.81 |
| 58 1 | NXA-UPS1500 | Uninterruptible Power Supply, 1500 VA/900 W, 110-120/220-240 VAC, 2RU Mount | \$1,148.61 |
| 58 1 | NXA-UPSEPM | Use the NXA-UPSEPM in combination with the NXA-UPS1500 to add up to 3X the backup power over the NXA-UPS1500 operating separately. The NXA-UPSEPM provides an uninterruptible power supply and is compatible with both 110-120 and 220-240 outlets. | \$516.88 |
| 58 1 | NXC-COM2 | The NXC-COM2 Dual COM Port Card provides two RS-232, RS-422, or RS-485 control ports and LED feedback for remote sources connected to the NXF NetLinx CardFrame, NI-4000 or NXS-NMS NetModule Shell. The NXC-COM2 can be used for stand-alone operation. | \$287.15 |
| 58 1 | NXC-HE | The NXC-HE ICSHub Expander Card can be used as an ICS hub cable extender when runs between ICS hubs are more than 1,000 feet. The NXC-HE Card can also be used in place of a Master Card in a NXI NetLinx Integrated Controller or NXF (CardFrame). | \$201.01 |
| 58 1 | NXC-I/O10 | The NXC-I/O10 Input/Output Card provides 10 Input/Output channels and LED feedback. It acts as a logic-level input and responds to switch closures or voltage level (high/low) changes. The Switch (SW) and Voltage (VO) modes are set with on-board jumpers. | \$229.72 |
| 58 1 | NXC-IRS4 | The NXC-IRS4 4-Port IR/S Card provides four IR/Serial input control ports with LED status feedback. Each port in the NXC-IRS4 stores programmed commands for IR or serial-controlled devices. The NXC-IRS4 Card can be used for stand-alone operation. | \$344.58 |
| 58 1 | NXC-ME260/64 | The NetLinx NXC-ME260/64 Card supplies optimum control system performance. With the ability to respond 50 times faster than conventional control masters, the NXC-ME260/64 is propelled by the high-speed 257 MIPS ColdFire processor. | \$1,447.25 |

| | | | |
|------|--------------------|--|-------------------|
| 58 1 | NXC-NH | Designed for control systems of virtually any size, the NXC-NH NetLinX ICSNet Hub can expand control over long distances. The NXC-NH ICSNet Hub is engineered to distribute ICSP (Internet Control System Protocol) data and NetLinX ICSNet control. | \$287.15 |
| 58 1 | NXC-REL10 | The NXC-REL10 Relay Card provides 10 relays to support devices that employ simple momentary or latching contact-closure control with LED feedback. | \$229.72 |
| 58 1 | NXC-VAI4 | The NXC-VAI4 Analog Voltage Card is equipped with four independent analog-to-digital inputs and four independent digital-to-analog outputs, which are controllable over the ICSP network. Each port can be configured for a variety of DC input and output sign. | \$402.02 |
| 58 1 | NXC-VOL4 | The NXC-VOL4 Volume Card offers four discrete volume control channels with LED feedback and is programmable for mono or stereo operation, and balanced or unbalanced audio connections. | \$402.02 |
| 58 1 | NXD-1000Vi | Modero Next Generation 10" Wall/Flush Touch Panel w/ VoIP Intercom. Includes V Series Touch Panel with Composite Video, VoIP Intercom and NXA-AVB/ETHERNET. | \$3,618.14 |
| 58 1 | NXD-1200VG RGB KIT | Modero VG Series 12" Wall/Flush Mount with RGB Option Includes VG Touch Panel, NXA-AVB/RGB, NXA-RGB Card and TP-RGBCBL Breakout Cable | \$6,587.30 |
| 58 1 | NXD-1500VG RGB KIT | Modero VG Series 15" Wall/Flush Mount with RGB Option Includes VG Touch Panel, NXA-AVB/RGB, NXA-RGB Card and TP-RGBCBL Breakout Cable | \$8,528.46 |
| 58 1 | NXD-1700VG RGB KIT | Modero VG Series 17" Wall/Flush Mount with RGB Option Includes VG Touch Panel, NXA-AVB/RGB, NXA-RGB Card and TP-RGBCBL Breakout Cable | \$9,504.79 |
| 58 1 | NXD-430-GB | Modero Color 4.3" Widescreen Touch Panel with Landscape Bezel - Glossy Black, Wall/Flush Mount with PoE. Bezel includes single programmable button. | \$660.45 |
| 58 1 | NXD-430-GW | Modero Color 4.3" Widescreen Touch Panel with Landscape Bezel - Glossy White, Wall/Flush Mount with PoE. Bezel includes single programmable button. | \$660.45 |
| 58 1 | NXD-435-GB | Modero Color 4.3" Widescreen - Glossy Black Wall/Flush Mount Touch Panel with PoE and bezel with five programmable buttons, Black | \$717.88 |
| 58 1 | NXD-435-GW | Modero Color 4.3" Widescreen - Glossy White Wall/Flush Mount Touch Panel with PoE and bezel with five programmable buttons, White | \$717.88 |
| 58 1 | NXD-435P-BL | Modero Color 4.3" Widescreen Touch Panel with Portrait Bezel - Glossy Black, Wall/Flush Mount with PoE. Bezel includes five programmable buttons. | \$571.44 |
| 58 1 | NXD-435P-WH | Modero Color 4.3" Widescreen Touch Panel with Portrait Bezel - Glossy White, Wall/Flush Mount with PoE. Bezel includes five programmable buttons. | \$571.44 |
| 58 1 | NXD-500i | Modero Color Video 5" Widescreen Wall/Flush Mount with VoIP Intercom and PoE. Includes black bezel with platinum trim ring. | \$1,320.91 |
| 58 1 | NXD-700Vi | Modero Next Generation 7" Wall/Flush w/ VoIP Intercom Includes V Series Touch Panel with Composite Video, VoIP Intercom and NXA-AVB/ETHERNET. | \$2,412.09 |
| 58 1 | NXF | The NetLinX CardFrame is easy-to-use and easy-to-understand. Customize and control any connected device by simply inserting up to twelve NetLinX Control Cards directly into the front-access slots of the CardFrame. | \$746.60 |

| | | | |
|------|----------------------|--|-------------------|
| 58 1 | NXF-MINI | The NetLinx Mini-CardFrame features front access to four expansion slots that accept any combination of compatible NetLinx Controller Cards. In addition, it is compatible with the ME260/64 Master Card, NI-2100, NI-3100 and the NI-4100 NetLinx Controller. | \$568.56 |
| 58 1 | NXI | The NetLinx Integrated Controller provides incredibly powerful control and networking capabilities and instantly commands projectors, window treatments, security, lighting and even PCs with a full array of RS-232/422/485 ports, IR/Serial ports, and Inputs/Outputs. | \$861.46 |
| 58 1 | NXS-MHS | The NXS-MHS Master/Hub Module Shell is the enclosure for the NetLinx Processor ICSNet and ICSHub Cards. The NXS-MHS accommodates one card and comes complete with faceplates for the Master and the Hub. | \$114.86 |
| 58 1 | NXS-NMS | With the NXS-NMS NetModule Shell, one NetLinx Control Card can be installed, providing connectivity to the NetLinx bus via ICSNet connections. | \$114.86 |
| 58 1 | NXT-1200VG RGB KIT | Modero VG Series 12" Wall/Flush Mount with RGB Option Includes VG Touch Panel, NXA-AVB/RGB, NXA-RGB Card and TP-RGBCBL Breakout Cable | \$6,587.30 |
| 58 1 | NXT-1200VG VIDEO KIT | Modero VG Series 12" Table Top Includes VG Touch Panel with Composite and Streaming Video Support, NXA-AVB/ETHERNET and Table Top Cable | \$5,513.35 |
| 58 1 | NXT-1500VG RGB KIT | Modero VG Series 15" Wall/Flush Mount with RGB Option Includes VG Touch Panel, NXA-AVB/RGB, NXA-RGB Card and TP-RGBCBL Breakout Cable | \$8,528.46 |
| 58 1 | NXT-1500VG VIDEO KIT | Modero VG Series 15" Table Top Includes VG Touch Panel with Composite and Streaming Video Support, NXA-AVB/ETHERNET and Table Top Cable | \$7,454.51 |
| 58 1 | NXT-1700VG RGB KIT | Modero VG Series 17" Table Top with RGB Option Includes VG Touch Panel, NXA-AVB/RGB, NXA-RGB Card, NXA-MTC/RGB Table Top Cable and TP-RGBCBL Breakout Cable | \$9,504.79 |
| 58 1 | NXT-BP | Battery Pack for Modero Battery Base NXA-BASE/B | \$195.26 |
| 58 1 | NXT-CV10 | Modero Color Video 10" Widescreen Table Top Touch Panel, Black with Platinum Trim Ring. Includes NXA-AVB/ETHERNET and Table Top Cable | \$3,330.98 |
| 58 1 | NXT-CV7 | Modero Color Video 7" Widescreen Table Top | \$2,182.37 |
| 58 1 | NXV-300 | This small rack-mountable device (similar in size to an NI-700 NetLinx Controller) allows users to access their system via any PC or Mac via Virtual Network Connection (VNC). | \$568.56 |
| 58 1 | PC1 | The PC1 control provides one switched outlet for 120 VAC power control with up to 1200 W of equipment power. | \$143.58 |
| 58 1 | PCS2 | The PCS2 Dual Power Current Sensor detects the 110 VAC current drawn by equipment plugged into the onboard AC receptacles, and the LED status indicators assist with monitoring system applications. | \$212.49 |
| 58 1 | PSN2.8 | The PSN2.8 power supply provides 2.8 A of DC power for Modero Touch Panels. This is a Class 1 power supply; CSA and CE approved and UL listed. This power supply has an attached mini 2-pin captive wire connector (3.5 mm). | \$68.92 |
| 58 1 | PSN4.4 | The PSN4.4 power supply provides 4.4 A of DC power for Modero ViewPoint Touch Panels and NetLinx System Accessories. Includes 3.5 mm Phoenix Connector. | \$86.15 |
| 58 1 | PSN6.5 | The PSN6.5 power supply provides 6.5 A of DC power for Modero ViewPoint Touch Panels and NetLinx System Accessories. | \$264.18 |
| 58 1 | PS-POE-AF | Power Over Ethernet Injector - a single-port, self-contained PoE gigabit power supply that delivers both DC power and data to PoE-equipped devices. Provides up to 15 watts of power. | \$68.92 |

| | | | |
|------|---------------|---|-------------------|
| 58 1 | TPI-PRO-DVI-2 | Touch Panel Interface Pro-DVI with 2 multi-format video and RGB sources can be simultaneously delivered to a display, and then controlled via a connected touch monitor or NetLinx Controller, supports high resolution inputs/outputs (up to 1920x1200 pixels) | \$4,594.46 |
| 58 1 | TPI-PRO-DVI-4 | Touch Panel Interface Pro-DVI with 4 multi-format video and RGB sources can be simultaneously delivered to a display, and then controlled via a connected touch monitor or NetLinx Controller, supports high resolution inputs/outputs (up to 1920x1200 pixels) | \$6,317.38 |
| 58 1 | UPC20+ | Designed for conduit installation, the Universal Power/Motor Controller, 20 A (110/220 VAC input) is a dual 20-amp AC power and motor controller. Configure a wide range of power and motor control modes for a full range of devices. | \$229.72 |